



Sample Revit

By Analytix AV Solutions

DRAWING LIST

NO.	SHEET NAME	DATE
AV-000	DRAWING LIST	MM-DD-YY
AV-101	PRESIDENT OFFICE FLOOR PLANS	MM-DD-YY
AV-102	PRESIDENT OFFICE - ELEVATIONS	MM-DD-YY
AV-103	3D VIEW - PRESIDENT OFFICE	MM-DD-YY
AV-104	LARGE CONFERENCE ROOM 25J02 - FLOOR PLANS	MM-DD-YY
AV-105	LARGE CONFERENCE ROOM 25J02 - CEILING PLANS	MM-DD-YY
AV-106	LARGE CONFERENCE ROOM 25J02 - ELEVATIONS	MM-DD-YY
AV-107	3D VIEW - LARGE CONFERENCE ROOM 25J02	MM-DD-YY
AV-108	SMALL CONFERENCE ROOM 25M17 - FLOOR PLANS & ELEVATIONS	MM-DD-YY
AV-109	3D VIEW - SMALL CONFERENCE ROOM 25M17	MM-DD-YY

CLIENT

CLIENT LOGO

ADDRESS
Address Line 1,
Address Line 2,
Address Line 3

PROJECT
SAMPLE PROJECT

SYSTEM INTEGRATION

AV COMPANY LOGO

DESCRIPTION
DRAWING LIST

ORIGINAL

THIS DRAWING IS THE PROPERTY OF
AV COMPANY AND MAY NOT BE
REPRODUCED OR DISTRIBUTED
WITHOUT WRITTEN AUTHORIZATION.


REV.	DATE	DESCRIPTION
0	MM-DD-YY	REVIEW

ACCT. MANAGER: XX
ENGINEER: XX
DRAFTER: ANALYTIX
REVIEWER: XX
PROJECT MANAGER: XX
PROJECT NUMBER: XXXXX
NATIVE SIZE: ARCH C (24 X 18 in.)


ISSUED FOR:
 REVIEW COORDINATION
 CONSTRUCTION AS-BUILT

SCALE: N.T.S.

DRAWING NUMBER:
AV-000



1 AV EQUIPMENT FLOOR PLAN - 25TH FLOOR PRESIDENT OFFICE 25G02
Scale: 1/4" = 1'-0"



2 AV ELECTRICAL FLOOR PLAN - 25TH FLOOR PRESIDENT OFFICE 25G02
Scale: 1/4" = 1'-0"

AUDIO VISUAL EQUIPMENT LEGEND

1	85" LED DISPLAY MOUNTED ON WALL
2	75" LED DISPLAY MOUNTED ON WALL
3	70" LED DISPLAY MOUNTED ON WALL
4	65" LED DISPLAY MOUNTED ON WALL
5	55" LED DISPLAY MOUNTED ON WALL
6	50" LED DISPLAY MOUNTED ON WALL
7	47" LED DISPLAY MOUNTED ON WALL
8	BACK BOX BEHIND LED DISPLAY
9	AV WALL PLATE
10	TABLE BOX
11	WALL MOUNTED TOUCH PANEL
12	TABLE TOP TOUCH PANEL
13	TABLE TOP MICROPHONES
14	AV EQUIPMENT RACK
15	CAMERA
16	SIDE SPEAKERS
17	SOUND BAR
18	TV TUNER
19	CEILING MOUNTED PROJECTOR
20	CEILING SPEAKERS

AUDIO VISUAL ELECTRICAL NOTES

	VOICE/DATA PORT @ FLOOR PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ FLOOR, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ FLOOR, QUAD, 120V/20A FEED.
	VOICE/DATA PORT @ WALL PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ WALL, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, QUAD, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, SINGLE RECESSED, 120V/20A FEED.
	FLOOR BOX FLUSH MOUNTED IN FLOOR.
	4-GANG JUNCTION BOX AT RACK LOCATION @ 18" A.F.F. WITH (2) 1-1/4" CONDUITS STUBBED TO CEILING
	WALL MOUNTED CABLE TV DROP
	CHIEF PAC501 BOX @ FLAT PANEL DISPLAY LOCATION WITH 1-1/4" CONDUIT STUBBED TO CEILING - SEE ELEVATIONS FOR MOUNTING HEIGHT
	3-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE WITH POWER AND LAN @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV CABLE PASS THRU WITH (2) 1-1/4" CONDUIT STUBBED TO CEILING. SEE ELEVATION FOR MOUNTING HEIGHT.
	2-GANG JUNCTION BOX AT TOUCH PANEL LOCATION @ 52" A.F.F. WITH 3/4" CONDUIT STUBBED TO CEILING
	POWER RECEPTACLE @ CEILING, DUPLEX, 120V/20A FEED, SEPERATE CIRCUIT
	POWER RECEPTACLE @ CEILING, QUAD, 120V/20A FEED, SEPERATE CIRCUIT
	CEILING MOUNTED SPEAKER, REFER TO DETAIL FOR EXACT MOUNTING SPECIFICATION

CLIENT

CLIENT LOGO

ADDRESS

Address Line 1,
Address Line 2,
Address Line 3

PROJECT

SAMPLE PROJECT

SYSTEM INTEGRATION

AV COMPANY LOGO

DESCRIPTION

PRESIDENT OFFICE - FLOOR PLANS

ORIGINAL

THIS DRAWING IS THE PROPERTY OF
XIXE AV COMPANY AND MAY NOT BE
REPRODUCED OR DISTRIBUTED
WITHOUT WRITTEN AUTHORIZATION.

REV.	DATE	DESCRIPTION
0	MM-DD-YY	REVIEW


ACCT. MANAGER: XX
ENGINEER: XX
DRAFTER: ANALYTIX
REVIEWER: XX
PROJECT MANAGER: XX
PROJECT NUMBER: XXXXXX
NATIVE SIZE: ARCH C (24 X 18 in.)

ISSUED FOR:
 REVIEW COORDINATION
 CONSTRUCTION AS-BUILT


SCALE: AS INDICATED

DRAWING NUMBER:

AV-101



1 AV EQUIPMENT ELEVATION - 25TH FLOOR PRESIDENT OFFICE 25G02
Scale: 1/2" = 1'-0"



2 AV ELECTRICAL ELEVATION - 25TH FLOOR PRESIDENT OFFICE 25G02
Scale: 1/2" = 1'-0"

AUDIO VISUAL EQUIPMENT LEGEND	
1	85" LED DISPLAY MOUNTED ON WALL
2	75" LED DISPLAY MOUNTED ON WALL
3	70" LED DISPLAY MOUNTED ON WALL
4	65" LED DISPLAY MOUNTED ON WALL
5	55" LED DISPLAY MOUNTED ON WALL
6	50" LED DISPLAY MOUNTED ON WALL
7	47" LED DISPLAY MOUNTED ON WALL
8	BACK BOX BEHIND LED DISPLAY
9	AV WALL PLATE
10	TABLE BOX
11	WALL MOUNTED TOUCH PANEL
12	TABLE TOP TOUCH PANEL
13	TABLE TOP MICROPHONES
14	AV EQUIPMENT RACK
15	CAMERA
16	SIDE SPEAKERS
17	SOUND BAR
18	TV TUNER
19	CEILING MOUNTED PROJECTOR
20	CEILING SPEAKERS

AUDIO VISUAL ELECTRICAL NOTES	
	VOICE/DATA PORT @ FLOOR PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ FLOOR, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ FLOOR, QUAD, 120V/20A FEED.
	VOICE/DATA PORT @ WALL PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ WALL, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, QUAD, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, SINGLE RECESSED, 120V/20A FEED.
	FLOOR BOX FLUSH MOUNTED IN FLOOR.
	4-GANG JUNCTION BOX AT RACK LOCATION @ 18" A.F.F. WITH (2) 1-1/4" CONDUITS STUBBED TO CEILING
	WALL MOUNTED CABLE TV DROP
	CHIEF PAC501 BOX @ FLAT PANEL DISPLAY LOCATION WITH 1-1/4" CONDUIT STUBBED TO CEILING - SEE ELEVATIONS FOR MOUNTING HEIGHT
	3-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE WITH POWER AND LAN @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV CABLE PASS THRU WITH (2) 1-1/4" CONDUIT STUBBED TO CEILING. SEE ELEVATION FOR MOUNTING HEIGHT.
	2-GANG JUNCTION BOX AT TOUCH PANEL LOCATION @ 52" A.F.F. WITH 3/4" CONDUIT STUBBED TO CEILING
	POWER RECEPTACLE @ CEILING, DUPLEX, 120V/20A FEED, SEPERATE CIRCUIT
	POWER RECEPTACLE @ CEILING, QUAD, 120V/20A FEED, SEPERATE CIRCUIT
	CEILING MOUNTED SPEAKER, REFER TO DETAIL FOR EXACT MOUNTING SPECIFICATION

CLIENT

CLIENT LOGO

ADDRESS
Address Line 1,
Address Line 2,
Address Line 3

PROJECT
SAMPLE PROJECT

SYSTEM INTEGRATION

AV COMPANY LOGO

DESCRIPTION
PRESIDENT OFFICE -
ELEVATIONS

ORIGINAL

THIS DRAWING IS THE PROPERTY OF
XYZ AV COMPANY AND MAY NOT BE
REPRODUCED OR DISTRIBUTED
WITHOUT WRITTEN AUTHORIZATION.

REV.	DATE	DESCRIPTION
0	MM-DD-YY	REVIEW

ACCT. MANAGER: XX
ENGINEER: XX
DRAFTER: ANALYTIX
REVIEWER: XX
PROJECT MANAGER: XX
PROJECT NUMBER: XXXXXX
NATIVE SIZE: ARCH C (24 X 18 in.)

ISSUED FOR:
 REVIEW COORDINATION
 CONSTRUCTION AS-BUILT

SCALE: AS INDICATED

DRAWING NUMBER:
AV-102



CLIENT

CLIENT LOGO

ADDRESS

Address Line 1,
Address Line 2,
Address Line 3

PROJECT

SAMPLE PROJECT

SYSTEM INTEGRATION

AV COMPANY LOGO

DESCRIPTION

3D VIEW - PRESIDENT
OFFICE

ORIGINAL

THIS DRAWING IS THE PROPERTY OF
XX AV COMPANY AND MAY NOT BE
REPRODUCED OR DISTRIBUTED
WITHOUT WRITTEN AUTHORIZATION.

REV.	DATE	DESCRIPTION
0	MM-DD-YY	REVIEW


ACCT. MANAGER: XX
ENGINEER: XX
DRAFTER: ANALYTIX
REVIEWER: XX
PROJECT MANAGER: XX
PROJECT NUMBER: XXXXX
NATIVE SIZE: ARCH C (24 X 18 in.)

ISSUED FOR:
 REVIEW COORDINATION
 CONSTRUCTION AS-BUILT


SCALE: N.T.S.

DRAWING NUMBER:

AV-103



1 AV EQUIPMENT FLOOR PLAN - 26TH FLOOR LARGE CONFERENCE ROOM 25J02
Scale: 1/4" = 1'-0"



2 AV ELECTRICAL FLOOR PLAN - 25TH FLOOR LARGE CONFERENCE ROOM 25J02
Scale: 1/4" = 1'-0"

AUDIO VISUAL EQUIPMENT LEGEND

1	85" LED DISPLAY MOUNTED ON WALL
2	75" LED DISPLAY MOUNTED ON WALL
3	70" LED DISPLAY MOUNTED ON WALL
4	65" LED DISPLAY MOUNTED ON WALL
5	55" LED DISPLAY MOUNTED ON WALL
6	50" LED DISPLAY MOUNTED ON WALL
7	47" LED DISPLAY MOUNTED ON WALL
8	BACK BOX BEHIND LED DISPLAY
9	AV WALL PLATE
10	TABLE BOX
11	WALL MOUNTED TOUCH PANEL
12	TABLE TOP TOUCH PANEL
13	TABLE TOP MICROPHONES
14	AV EQUIPMENT RACK
15	CAMERA
16	SIDE SPEAKERS
17	SOUND BAR
18	TV TUNER
19	CEILING MOUNTED PROJECTOR
20	CEILING SPEAKERS

AUDIO VISUAL ELECTRICAL NOTES

	VOICE/DATA PORT @ FLOOR PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ FLOOR, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ FLOOR, QUAD, 120V/20A FEED.
	VOICE/DATA PORT @ WALL PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ WALL, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, QUAD, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, SINGLE RECESSED, 120V/20A FEED.
	FLOOR BOX FLUSH MOUNTED IN FLOOR.
	4-GANG JUNCTION BOX AT RACK LOCATION @ 18" A.F.F. WITH (2) 1-1/4" CONDUITS STUBBED TO CEILING
	WALL MOUNTED CABLE TV DROP
	CHIEF PAC501 BOX @ FLAT PANEL DISPLAY LOCATION WITH 1-1/4" CONDUIT STUBBED TO CEILING - SEE ELEVATIONS FOR MOUNTING HEIGHT
	3-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE WITH POWER AND LAN @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV CABLE PASS THRU WITH (2) 1-1/4" CONDUIT STUBBED TO CEILING. SEE ELEVATION FOR MOUNTING HEIGHT.
	2-GANG JUNCTION BOX AT TOUCH PANEL LOCATION @ 52" A.F.F. WITH 3/4" CONDUIT STUBBED TO CEILING
	POWER RECEPTACLE @ CEILING, DUPLEX, 120V/20A FEED, SEPERATE CIRCUIT
	POWER RECEPTACLE @ CEILING, QUAD, 120V/20A FEED, SEPERATE CIRCUIT
	CEILING MOUNTED SPEAKER, REFER TO DETAIL FOR EXACT MOUNTING SPECIFICATION

CLIENT

CLIENT LOGO

ADDRESS

Address Line 1,
Address Line 2,
Address Line 3

PROJECT

SAMPLE PROJECT

SYSTEM INTEGRATION

AV COMPANY LOGO

DESCRIPTION
LARGE CONFERENCE
ROOM 25J02 - FLOOR
PLANS

ORIGINAL

THIS DRAWING IS THE PROPERTY OF
XTE AV COMPANY AND MAY NOT BE
REPRODUCED OR DISTRIBUTED
WITHOUT WRITTEN AUTHORIZATION.

REV.	DATE	DESCRIPTION
0	MM-DD-YY	REVIEW


ACCT. MANAGER: XX
ENGINEER: XX
DRAFTER: ANALYTIX
REVIEWER: XX
PROJECT MANAGER: XX
PROJECT NUMBER: XXXXX
NATIVE SIZE: ARCH C (24 X 18 in.)

ISSUED FOR:
 REVIEW COORDINATION
 CONSTRUCTION AS-BUILT


SCALE: AS INDICATED

DRAWING NUMBER:

AV-104



1 AV EQUIPMENT CEILING PLAN - 25TH FLOOR LARGE CONFERENCE ROOM 25J02
Scale: 1/4" = 1'-0"



2 AV ELECTRICAL CEILING PLAN - 25TH FLOOR LARGE CONFERENCE ROOM 25J02
Scale: 1/4" = 1'-0"

AUDIO VISUAL EQUIPMENT LEGEND

1	85" LED DISPLAY MOUNTED ON WALL
2	75" LED DISPLAY MOUNTED ON WALL
3	70" LED DISPLAY MOUNTED ON WALL
4	65" LED DISPLAY MOUNTED ON WALL
5	55" LED DISPLAY MOUNTED ON WALL
6	50" LED DISPLAY MOUNTED ON WALL
7	47" LED DISPLAY MOUNTED ON WALL
8	BACK BOX BEHIND LED DISPLAY
9	AV WALL PLATE
10	TABLE BOX
11	WALL MOUNTED TOUCH PANEL
12	TABLE TOP TOUCH PANEL
13	TABLE TOP MICROPHONES
14	AV EQUIPMENT RACK
15	CAMERA
16	SIDE SPEAKERS
17	SOUND BAR
18	TV TUNER
19	CEILING MOUNTED PROJECTOR
20	CEILING SPEAKERS

AUDIO VISUAL ELECTRICAL NOTES

	VOICE/DATA PORT @ FLOOR PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ FLOOR, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ FLOOR, QUAD, 120V/20A FEED.
	VOICE/DATA PORT @ WALL PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ WALL, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, QUAD, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, SINGLE RECESSED, 120V/20A FEED.
	FLOOR BOX FLUSH MOUNTED IN FLOOR.
	4-GANG JUNCTION BOX AT RACK LOCATION @ 18" A.F.F. WITH (2) 1-1/4" CONDUITS STUBBED TO CEILING
	WALL MOUNTED CABLE TV DROP
	CHIEF PAC501 BOX @ FLAT PANEL DISPLAY LOCATION WITH 1-1/4" CONDUIT STUBBED TO CEILING - SEE ELEVATIONS FOR MOUNTING HEIGHT
	3-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE WITH POWER AND LAN @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV CABLE PASS THRU WITH (2) 1-1/4" CONDUIT STUBBED TO CEILING. SEE ELEVATION FOR MOUNTING HEIGHT.
	2-GANG JUNCTION BOX AT TOUCH PANEL LOCATION @ 52" A.F.F. WITH 3/4" CONDUIT STUBBED TO CEILING
	POWER RECEPTACLE @ CEILING, DUPLEX, 120V/20A FEED, SEPERATE CIRCUIT
	POWER RECEPTACLE @ CEILING, QUAD, 120V/20A FEED, SEPERATE CIRCUIT
	CEILING MOUNTED SPEAKER, REFER TO DETAIL FOR EXACT MOUNTING SPECIFICATION

CLIENT

CLIENT LOGO

ADDRESS

Address Line 1,
Address Line 2,
Address Line 3

PROJECT

SAMPLE PROJECT

SYSTEM INTEGRATION

AV COMPANY LOGO

DESCRIPTION

LARGE CONFERENCE
ROOM 25J02 - CEILING
PLANS

ORIGINAL

THIS DRAWING IS THE PROPERTY OF
XTE AV COMPANY AND MAY NOT BE
REPRODUCED OR DISTRIBUTED
WITHOUT WRITTEN AUTHORIZATION.

REV.	DATE	DESCRIPTION
0	MM-DD-YY	REVIEW


ACCT. MANAGER: XX
ENGINEER: XX
DRAFTER: ANALYTIX
REVIEWER: XX
PROJECT MANAGER: XX
PROJECT NUMBER: XXXXXX
NATIVE SIZE: ARCH C (24 X 18 in.)

ISSUED FOR:
 REVIEW COORDINATION
 CONSTRUCTION AS-BUILT


SCALE: AS INDICATED

DRAWING NUMBER:

AV-105



1 AV EQUIPMENT ELEVATION - 25TH FLOOR LARGE CONFERENCE ROOM 25J02
Scale: 1/2" = 1'-0"



2 AV ELECTRICAL ELEVATION - 25TH FLOOR LARGE CONFERENCE ROOM 25J02
Scale: 1/2" = 1'-0"

AUDIO VISUAL EQUIPMENT LEGEND

1	85" LED DISPLAY MOUNTED ON WALL
2	75" LED DISPLAY MOUNTED ON WALL
3	70" LED DISPLAY MOUNTED ON WALL
4	65" LED DISPLAY MOUNTED ON WALL
5	55" LED DISPLAY MOUNTED ON WALL
6	50" LED DISPLAY MOUNTED ON WALL
7	47" LED DISPLAY MOUNTED ON WALL
8	BACK BOX BEHIND LED DISPLAY
9	AV WALL PLATE
10	TABLE BOX
11	WALL MOUNTED TOUCH PANEL
12	TABLE TOP TOUCH PANEL
13	TABLE TOP MICROPHONES
14	AV EQUIPMENT RACK
15	CAMERA
16	SIDE SPEAKERS
17	SOUND BAR
18	TV TUNER
19	CEILING MOUNTED PROJECTOR
20	CEILING SPEAKERS

AUDIO VISUAL ELECTRICAL NOTES

	VOICE/DATA PORT @ FLOOR PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ FLOOR, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ FLOOR, QUAD, 120V/20A FEED.
	VOICE/DATA PORT @ WALL PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ WALL, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, QUAD, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, SINGLE RECESSED, 120V/20A FEED.
	FLOOR BOX FLUSH MOUNTED IN FLOOR.
	4-GANG JUNCTION BOX AT RACK LOCATION @ 18" A.F.F. WITH (2) 1-1/4" CONDUITS STUBBED TO CEILING
	WALL MOUNTED CABLE TV DROP
	CHIEF PAC501 BOX @ FLAT PANEL DISPLAY LOCATION WITH 1-1/4" CONDUIT STUBBED TO CEILING - SEE ELEVATIONS FOR MOUNTING HEIGHT
	3-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE WITH POWER AND LAN @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV CABLE PASS THRU WITH (2) 1-1/4" CONDUIT STUBBED TO CEILING. SEE ELEVATION FOR MOUNTING HEIGHT.
	2-GANG JUNCTION BOX AT TOUCH PANEL LOCATION @ 52" A.F.F. WITH 3/4" CONDUIT STUBBED TO CEILING
	POWER RECEPTACLE @ CEILING, DUPLEX, 120V/20A FEED, SEPERATE CIRCUIT
	POWER RECEPTACLE @ CEILING, QUAD, 120V/20A FEED, SEPERATE CIRCUIT
	CEILING MOUNTED SPEAKER, REFER TO DETAIL FOR EXACT MOUNTING SPECIFICATION

CLIENT

CLIENT LOGO

ADDRESS

Address Line 1,
Address Line 2,
Address Line 3

PROJECT

SAMPLE PROJECT

SYSTEM INTEGRATION

AV COMPANY LOGO

DESCRIPTION

LARGE CONFERENCE ROOM 25J02 - ELEVATIONS

ORIGINAL

THIS DRAWING IS THE PROPERTY OF ANALYTIX AV SOLUTIONS AND MAY NOT BE REPRODUCED OR DISTRIBUTED WITHOUT WRITTEN AUTHORIZATION.

REV.	DATE	DESCRIPTION
0	MM-DD-YY	REVIEW


ACCT. MANAGER: XX
ENGINEER: XX
DRAFTER: ANALYTIX
REVIEWER: XX
PROJECT MANAGER: XX
PROJECT NUMBER: XXXXX
NATIVE SIZE: ARCH C (24 X 18 in.)

ISSUED FOR:
 REVIEW COORDINATION
 CONSTRUCTION AS-BUILT

SCALE: AS INDICATED

DRAWING NUMBER:

AV-106



CLIENT

CLIENT LOGO

ADDRESS

Address Line 1,
Address Line 2,
Address Line 3

PROJECT

SAMPLE PROJECT

SYSTEM INTEGRATION

AV COMPANY LOGO

DESCRIPTION

3D VIEW - LARGE
CONFERENCE ROOM 25J02

ORIGINAL

THIS DRAWING IS THE PROPERTY OF
AVZ AV COMPANY AND MAY NOT BE
REPRODUCED OR DISTRIBUTED
WITHOUT WRITTEN AUTHORIZATION.

REV.	DATE	DESCRIPTION
0	MM-DD-YY	REVIEW


ACCT. MANAGER: XX
ENGINEER: XX
DRAFTER: ANALYTIX
REVIEWER: XX
PROJECT MANAGER: XX
PROJECT NUMBER: XXXXX
NATIVE SIZE: ARCH C (24 X 18 in.)

ISSUED FOR:
 REVIEW COORDINATION
 CONSTRUCTION AS-BUILT


SCALE: N.T.S.

DRAWING NUMBER:


AV-107




1 AV EQUIPMENT FLOOR PLAN - 25TH FLOOR SMALL CONFERENCE ROOM 25M17
Scale: 1/4" = 1'-0"



2 AV EQUIPMENT ELEVATION - 25TH FLOOR SMALL CONFERENCE ROOM 25M17
Scale: 1/2" = 1'-0"



3 AV ELECTRICAL FLOOR PLAN - 25TH FLOOR SMALL CONFERENCE ROOM 25M17
Scale: 1/4" = 1'-0"



4 AV ELECTRICAL ELEVATION - 25TH FLOOR SMALL CONFERENCE ROOM 25M17
Scale: 1/2" = 1'-0"

AUDIO VISUAL EQUIPMENT LEGEND

1	85" LED DISPLAY MOUNTED ON WALL
2	75" LED DISPLAY MOUNTED ON WALL
3	70" LED DISPLAY MOUNTED ON WALL
4	65" LED DISPLAY MOUNTED ON WALL
5	55" LED DISPLAY MOUNTED ON WALL
6	50" LED DISPLAY MOUNTED ON WALL
7	47" LED DISPLAY MOUNTED ON WALL
8	BACK BOX BEHIND LED DISPLAY
9	AV WALL PLATE
10	TABLE BOX
11	WALL MOUNTED TOUCH PANEL
12	TABLE TOP TOUCH PANEL
13	TABLE TOP MICROPHONES
14	AV EQUIPMENT RACK
15	CAMERA
16	SIDE SPEAKERS
17	SOUND BAR
18	TV TUNER
19	CEILING MOUNTED PROJECTOR
20	CEILING SPEAKERS

AUDIO VISUAL ELECTRICAL NOTES

	VOICE/DATA PORT @ FLOOR PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ FLOOR, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ FLOOR, QUAD, 120V/20A FEED.
	VOICE/DATA PORT @ WALL PORTS TO BE USED FOR NETWORK, ISDN AND ANALOG PHONE CONNECTIONS AS DEFINED IN AV DRAWING.
	POWER RECEPTACLE @ WALL, DUPLEX, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, QUAD, 120V/20A FEED.
	POWER RECEPTACLE @ WALL, SINGLE RECESSED, 120V/20A FEED.
	FLOOR BOX FLUSH MOUNTED IN FLOOR.
	4-GANG JUNCTION BOX AT RACK LOCATION @ 18" A.F.F. WITH (2) 1-1/4" CONDUITS STUBBED TO CEILING
	WALL MOUNTED CABLE TV DROP
	CHIEF PAC501 BOX @ FLAT PANEL DISPLAY LOCATION WITH 1-1/4" CONDUIT STUBBED TO CEILING - SEE ELEVATIONS FOR MOUNTING HEIGHT
	3-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE WITH POWER AND LAN @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV WALL PLATE @ 18" A.F.F. WITH (1) 1-1/4" CONDUIT STUBBED TO CEILING
	4-GANG WALL MOUNTED JUNCTION BOX FOR AV CABLE PASS THRU WITH (2) 1-1/4" CONDUIT STUBBED TO CEILING. SEE ELEVATION FOR MOUNTING HEIGHT.
	2-GANG JUNCTION BOX AT TOUCH PANEL LOCATION @ 52" A.F.F. WITH 3/4" CONDUIT STUBBED TO CEILING
	POWER RECEPTACLE @ CEILING, DUPLEX, 120V/20A FEED, SEPERATE CIRCUIT
	POWER RECEPTACLE @ CEILING, QUAD, 120V/20A FEED, SEPERATE CIRCUIT
	CEILING MOUNTED SPEAKER, REFER TO DETAIL FOR EXACT MOUNTING SPECIFICATION

CLIENT

CLIENT LOGO

ADDRESS

Address Line 1,
Address Line 2,
Address Line 3

PROJECT

SAMPLE PROJECT

SYSTEM INTEGRATION

AV COMPANY LOGO

DESCRIPTION

SMALL CONFERENCE ROOM 25M17 - FLOOR PLANS & ELEVATIONS

ORIGINAL

THIS DRAWING IS THE PROPERTY OF XYZ AV COMPANY AND MAY NOT BE REPRODUCED OR DISTRIBUTED WITHOUT WRITTEN AUTHORIZATION.

REV.	DATE	DESCRIPTION
0	MM-DD-YY	REVIEW


ACCT. MANAGER: XX
ENGINEER: XX
DRAFTER: ANALYTIX
REVIEWER: XX
PROJECT MANAGER: XX
PROJECT NUMBER: XXXXXX
NATIVE SIZE: ARCH C (24 X 18 in.)

ISSUED FOR:
 REVIEW COORDINATION
 CONSTRUCTION AS-BUILT

SCALE: AS INDICATED

DRAWING NUMBER:

AV-108



CLIENT

CLIENT LOGO

ADDRESS

Address Line 1,
Address Line 2,
Address Line 3

PROJECT

SAMPLE PROJECT

SYSTEM INTEGRATION

AV COMPANY LOGO

DESCRIPTION

3D VIEW - SMALL
CONFERENCE ROOM 25M17

ORIGINAL

THIS DRAWING IS THE PROPERTY OF
XYZ AV COMPANY AND MAY NOT BE
REPRODUCED OR DISTRIBUTED
WITHOUT WRITTEN AUTHORIZATION.

REV.	DATE	DESCRIPTION
0	MM-DD-YY	REVIEW

ACCT. MANAGER: XX
ENGINEER: XX
DRAFTER: ANALYTIX
REVIEWER: XX
PROJECT MANAGER: XX
PROJECT NUMBER: XXXXX
NATIVE SIZE: ARCH C (24 X 18 in.)

ISSUED FOR:
 REVIEW COORDINATION
 CONSTRUCTION AS-BUILT

SCALE: N.T.S.

DRAWING NUMBER:

AV-109